S	4	ω	2	1		H	T	SN	
CP-UPB-T12V1A	DH-VTOB101	CP-UNB-CP21M	CP-UNB-C22SP		CP-UNB-351HV	CP-UNB-RM351		Model	
			ı — 🕟			20000		Pic	
Adaptor -AC 100~240V/DC 12V1A- 5.5*2.1*12 for supplying power to outdoor station	VDP COVER FOR LOBBY UNIT	Apply to IP system • 3.5-inch LCD screen • Camera: 1.3MP COMS camera • Excellent night vision effect • Aluminum die-casting construction plate • Call indoor monitor and management centre • Support contacts calling function • Support pass word and IC card opening • Support unlock remotely • Save visitor audio and video function • Support extension A&C module	Applied to IP system• Super slim design with decent appearance• Color CMOS camera• Support night vision• Surface mounted.• Support video doorbell function,it can be used as 2rd confirmation station	Main Security Entrance	• 7' TFT LCD, resistive touch screen resolution, resolution 800x480 • 5 mechanical button • 1 channel 10/100Mbps self-adaptive Ethernet • Communicate with other resident in same community • Info publish, leave message, One key emergency calling, IP camera integration • Support POE • RM352 SD card support	7' TFT LCD, resistive touch screen resolution, resolution 800x480 5 mechanical button 1 channel 10/100Mbps self-adaptive Ethernet Communicate with other resident in same community Info publish, leave message, One key emergency calling, IP camera integration Support POE RM352 SD card support	Unit to be Installed at Each Apartment	Description	CPPLUS TCP-IP Multiapartment Video Door phone Building Intercom System
1,200.00	1,248.00	25,805.00	8,268.00	trance	10,887.00	9,782.00		Price 0	one Building Inter
.00	8	3	1		4	1		Qty	com Sy
1,2	1 1,24	25,805.00	8,268.00		10,887.00	9,782.00		Total	
1,200.00	1,248.00	(At Security Guard Place Only) Outdoor panel to be used at SECURITY ENTRANCE. Visitor will dialed desired flat number using the digital keypad.Resident will get the call on his monitor and he can have the communication with the visitor.Mi-Fare cards can be used by flat owners to open the doors. Mi-Fare cards in \$1 scope.	second confirmation unit at door of every flat its optional		(At Security Guard Place Only) option 2 for with Hand set .	Option 1 for Hands free		Remarks	

			Accessories		100		
7	CP-UNB-D6	•	Apply to IP system "One cable can support power supply and provide network signal. High-quality network environment is ensured. "One switch can connect with 6 indoor monitors. Connect indoor monitor with one Cat Se cable, transfer the signal and power together	8,190.00	1	8,190.00	It supports upto 8 switches only.
8	CP-UNC-TA20L3S	000	2MP Full HD IR Bullet Camera - 30Mtr. 1/2.7" 2MP PS CMOS Image Sensor 25/30fps@2MP H.264Plus and H.264 dual-stream encoding DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens (3.6mm optional) IR Range of 30 Mtrs, IP67, PoE Mobile Software: ICMOB, gCMOB CMS Software: KVMS Pro, vOptimus Pro	3,500.00	1	3,500.00	We can monitor surveillance cameras through indoor unit
9	CP-UNC-DA10L2	6	1 MP HD IP Dome Camera - 30Mtr. 1/4" 1MP PS CMOS Image Sensor Max 25/30fps@720P H.264 and MJPEG dual-stream encoding DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens (2.8mm optional) IR Range of 30 Mtrs, IP67, PoE Mobile Software: ICMOB, gCMOB CMS Software: KVMS Pro, vOptimus Pro	2,500.00	1	2,500.00	We can monitor surveillance cameras through indoor unit
	NVR		CP PLUS 8 CH NVR WITH POE CP-UNR-208T2-P8V3	10,000.00	1	10,000.00	
	Hard Disk		2TB HARD DISK	5,500.00	1	5,500.	000

	EBBC Balkam, Balkam,	JAB 3	
LAM	CAT6 CABLE		D-Link CAT6 CABLE
	RJ45 Connector		D-Link RJ45 Connector
			Network cables and network switch client scope. Mifare Cards in client scope.
			SUB TOTAL GST @ 18% TOTAL